

Package: pmxcode (via r-universe)

June 7, 2026

Title Create Pharmacometric Models

Version 0.3.1

Description Provides a user interface to create or modify pharmacometric models for various modeling and simulation software platforms.

License MIT + file LICENSE

Imports bsicons, bslib, config (>= 0.3.1), dplyr, flextable, glue, golem (>= 0.3.3), htmltools, htmlwidgets, jsonlite, magrittr, markdown, officer, pillar, rclipboard, readr, rhandsontable, rlang, shiny (>= 1.7.1), shinyAce, shinyFiles, shinyjs, stats, tidyr, tools, utils, xfun

VignetteBuilder knitr

Suggests knitr (>= 1.28), rmarkdown (>= 2.2)

Encoding UTF-8

LazyData true

RoxygenNote 7.3.1

Depends shinyBS

URL <https://github.com/sbihorel/pmxcode>,
<https://sbihorel.github.io/pmxcode/>

Config/pak/sysreqs libcairo2-dev cmake libfontconfig1-dev libfreetype6-dev libfribidi-dev make libharfbuzz-dev libicu-dev libjpeg-dev libpng-dev libtiff-dev libuv1-dev libwebp-dev libxml2-dev libssl-dev libx11-dev zlib1g-dev

Repository <https://sbihorel.r-universe.dev>

Date/Publication 2025-09-06 11:21:42 UTC

RemoteUrl <https://github.com/sbihorel/pmxcode>

RemoteRef HEAD

RemoteSha 961be81197bb1e22c22f632fa04d7b2498c8c513

Contents

run_app	2
---------	---

run_app

*Run the Shiny Application***Description**

Run the Shiny Application

Usage

```
run_app(
  onStart = NULL,
  options = list(launch.browser = TRUE),
  enableBookmarking = NULL,
  uiPattern = "/",
  ...
)
```

Arguments

onStart	A function that will be called before the app is actually run. This is only needed for shinyAppObj, since in the shinyAppDir case, a global .R file can be used for this purpose.
options	Named options that should be passed to the runApp call (these can be any of the following: "port", "launch.browser", "host", "quiet", "display.mode" and "test.mode"). You can also specify width and height parameters which provide a hint to the embedding environment about the ideal height/width for the app.
enableBookmarking	Can be one of "url", "server", or "disable". The default value, NULL, will respect the setting from any previous calls to enableBookmarking() . See enableBookmarking() for more information on bookmarking your app.
uiPattern	A regular expression that will be applied to each GET request to determine whether the ui should be used to handle the request. Note that the entire request path must match the regular expression in order for the match to be considered successful.
...	arguments to pass to golem_opts. See <code>'?golem::get_golem_options'</code> for more details.

Value

Starts the PMXcode Shiny application

Examples

```
## Not run:  
if( interactive() ){  
  pmxcode::run_app()  
}  
  
## End(Not run)
```

Index

`enableBookmarking()`, [2](#)

`run_app`, [2](#)